Lessons From Disaster Medicine for the Neurologist in the COVID-19 Era

Going Viral

Jack W. Tsao, MD, DPhil, MBA, and Timothy J. Counihan, MD, FRCPI

Neurology: Clinical Practice April 2021 vol. 11 no. 2 91-92 doi:10.1212/CPJ.0000000000001058

Correspondence

Dr. Tsao
jtsao@uthsc.edu

Moré et al.¹ are to be applauded for their article in this issue of *Neurology: Clinical Practice* on disaster neurology and its relevance to the on-going coronavirus disease 2019 (COVID-19) pandemic. At first glance, the relationship between this pandemic and a natural disaster is not obvious. However, as countries struggle with limitations in medical resources and having to make difficult decisions about who should have priority in receiving medical care or vaccines as they become available, the skills needed to provide care in an austere environment become clear. In addition, as medical professionals who are experts in hospitalist and intensive care unit medicine become overstretched, it is natural that neurologists and neurology providers, who at least understand medical care and have been exposed to internal medicine at some point during training, will naturally become called on to help take care of patients with COVID-19. For example, during the spring surge of cases which overwhelmed hospitals in New York City, the US military responded, recalling to duty many reserve physicians, nurses, and other healthcare providers and assigning them to support civilian healthcare operations. Neurologists, pathologists, pediatricians, and other specialists suddenly found themselves receiving on-the-job training to manage critically ill COVID patients.

Given the myriad of neurologic complications from COVID, the authors highlight other areas where neurology expertise is critical to caring for patients who have become infected with the virus and the need to adjust practices to rapidly changing conditions. Challenges, such as delay of care by patients who do not want to come into the hospital or clinic because of fear of catching COVID, and the need for risk stratification in continuing immunotherapies for conditions, such as multiple sclerosis (MS), have added to the complexity of care facing neurologists. Furthermore, the expanded use of telemedicine, the need for residency and medical school training programs to adapt, and the requirement for additional care needed to protect patients and healthcare workers, along with ensuring proper cleaning of medical equipment, for procedures such as Botulinum toxin chemodenervation and neurophysiologic studies, all serve to add to the complexity of care. As Moré et al.¹ point out, we have learned a great deal from the experiences in disaster medicine that we can deploy in adapting our care pathways during the current pandemic. However, pandemic medicine has some unique challenges not typically seen in natural disasters and which are more akin to serving in a combat/war zone. Most obvious, of course, is the fact that at least at the pandemic onset, not much was known about the biology of the viral pathogen. Moreover, the enemy is something of a moving target, and it is becoming clear that some mutant strains are more highly infectious than others. All these factors will result in rolling changes that will affect how neurologists care for patients. The other problem facing clinicians, but not addressed by Moré and colleagues, is the speed at which the published medical literature is evolving; many publications are now appearing before peer review is completed. We are used to treating patients using decisions

RELATED ARTICLE

Disaster Neurology
Update: Focus on the
COVID-19 Pandemic
[Page 175](#)

MORE ONLINE

COVID-19 Resources

For the latest articles,
invited commentaries, and
blogs from physicians
around the world
[NPub.org/COVID19](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7700000/)

Department of Neurology (JWT), University of Tennessee Health Science Center; Children's Foundation Research Institute (JWT), Le Bonheur Children's Hospital, Memphis, TN; Department of Neurology (TJC), Galway University Hospitals; and School of Medicine (TJC), National University of Ireland, Galway.

Funding information and disclosures are provided at the end of the article. Full disclosure form information provided by the authors is available with the full text of this article at [Neurology.org/cp](https://www.neurology.org/cp).

supported by an evidence base, but, for instance, our risk stratification protocols for MS will need to be constantly tweaked by evolving knowledge from immunologic studies on the virus itself and emerging vaccines.

Nonetheless, this Commentary is an important addition to the medical literature for practicing neurologists because it provides a logical and superbly guided summary of the challenges in providing neurologic care during the SARS-CoV-2 pandemic while offering adaptations that neurologists and neurology departments can consider in their response. With incredible value to the reader, the authors underscore the essential workflow adaptations for both inpatient and outpatient settings. This work poses an important and timely topic for discussion and, importantly, highlights critical concepts and adaptations.

Author Contributions

J.W. Tsao and T.J. Counihan: drafting/revising the manuscript and analysis or interpretation of data.

Study Funding

No targeted funding reported.

Disclosure

The authors report no disclosures relevant to the manuscript. Full disclosure form information provided by the authors is available with the full text of this article at [Neurology.org/cp](https://www.neurology.org/cp).

Reference

1. Moré JM, Miller JA, Etienne M. Disaster neurology update: focus on the Covid-19 pandemic. *Neurol Clin Pract* 2021;11:175–178.

Neurology® Clinical Practice

Lessons From Disaster Medicine for the Neurologist in the COVID-19 Era: Going Viral

Jack W. Tsao and Timothy J. Counihan

Neurol Clin Pract 2021;11;91-92 Published Online before print March 3, 2021

DOI 10.1212/CPJ.0000000000001058

This information is current as of March 3, 2021

Updated Information & Services	including high resolution figures, can be found at: http://cp.neurology.org/content/11/2/91.full.html
References	This article cites 1 articles, 1 of which you can access for free at: http://cp.neurology.org/content/11/2/91.full.html#ref-list-1
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All global neurology http://cp.neurology.org/cgi/collection/all_global_neurology Burden of disease http://cp.neurology.org/cgi/collection/burden_of_disease COVID-19 http://cp.neurology.org/cgi/collection/covid_19 Health systems http://cp.neurology.org/cgi/collection/health_systems Public health http://cp.neurology.org/cgi/collection/public_health
Permissions & Licensing	Information about reproducing this article in parts (figures,tables) or in its entirety can be found online at: http://cp.neurology.org/misc/about.xhtml#permissions
Reprints	Information about ordering reprints can be found online: http://cp.neurology.org/misc/addir.xhtml#reprintsus

Neurol Clin Pract is an official journal of the American Academy of Neurology. Published continuously since 2011, it is now a bimonthly with 6 issues per year. Copyright © 2021 American Academy of Neurology. All rights reserved. Print ISSN: 2163-0402. Online ISSN: 2163-0933.