MRI pattern approach of adult-onset inherited leukoencephalopathies

Joel C. Morgenlander, MD: The importance of clinical review articles is sometimes minimized by those responsible for medical journals or those serving on Appointments, Promotion and Tenure committees. However, for those of us benefitting from reading an excellent review article and incorporating lessons learned into practice, they are a crucial source of education. A prime example is the article by Labauge et al.¹ concerning patterns of white matter abnormalities in adult-onset leukoencephalopathies. I recommended this article within my practice.

A 72-year-old man had clinical findings including cognitive deficits, gaze-evoked nystagmus, cogwheel rigidity, distal sensory loss with diminished reflexes, intention tremor, dystaxia on heel to shin, and a shuffling, unbalanced gait. A 77-year-old man had an examination showing cognitive deficits, cogwheel rigidity, action tremor, and an ataxic gait. I had seen the patient 8 years earlier and could not make a diagnosis at that time. After reviewing both patients' MRI scans; noticing the pattern of white matter changes, particularly in the middle cerebellar peduncle (see figure); and reviewing the article described, I sent genetic testing for fragile X-associated tremor/ataxia syndrome.² Both patients tested positive for premutation repeats of 107 and 87 repeat lengths, respectively. This diagnosis was helpful in caring for the patients and had genetic counseling ramifications for their families.

Review articles of quality are a source of important education for students and clinicians. Those who take the effort to put together such articles are contributing greatly to clinical care and should be praised academically and professionally for their efforts.

Duke University, Durham, NC.

Disclosures: J. Morgenlander has served as a consultant for the National Football League; receives research support from Biogen Idec and Duke University School of Medicine; and has held stock/stock options in Zinfandel Pharmaceuticals.

1. Labauge P, Carra-Dalliere C, Menjot de Champfleury N, Ayrignac X, Boespflug-Tanguy O. MRI pattern approach to adult-onset inherited leukoencephalopathies. *Neur Clin Pract* 2014;4:287–295.
2. Apartis E, Blancher A, Meissner WG, et al. FXTAS: new insights and the need for revised diagnostic criteria. *Neurology* 2012;79:1898–1907.

Figure Brain MRI with T2 fluid-attenuated inversion recovery sequences

(A) Abnormal signal in the middle cerebral peduncles. (B) Abnormal signal in the hemispheric white matter.

Neurology® Clinical Practice

MRI pattern approach of adult-onset inherited leukoencephalopathies

Joel C. Morgenlander

Neurol Clin Pract 2016;6;96

DOI 10.1212/CPJ.0000000000000242

This information is current as of April 4, 2016

Updated Information & Services

including high resolution figures, can be found at:
<http://cp.neurology.org/content/6/2/96.full.html>

References

This article cites 2 articles, 0 of which you can access for free at:
<http://cp.neurology.org/content/6/2/96.full.html##ref-list-1>

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
<http://cp.neurology.org/misc/about.xhtml#permissions>

Reprints

Information about ordering reprints can be found online:
<http://cp.neurology.org/misc/addir.xhtml#reprintsus>

Neurol Clin Pract is an official journal of the American Academy of Neurology. Published continuously since 2011, it is now a bimonthly with 6 issues per year. Copyright © 2016 American Academy of Neurology. All rights reserved. Print ISSN: 2163-0402. Online ISSN: 2163-0933.