Sharing notes with patients: A review of current practice and considerations for neurologists

Nitin K. Sethi, MD: I read with interest the Yu et al.¹ commentary on sharing office visit notes with patients. I often read aloud the last office visit notes to my patient at the time of the follow-up visit. I begin this by saying “this is what I documented when I last saw you. Please correct me if I got anything wrong in your history.” I have found this helpful in 2 ways. One, it helps to refresh the history, assessment, and plan in my own mind; and second, it helps engage the patient and accompanying caregiver in his or her care. My experience with this exercise has been a mixed bag. Some patients compliment me for documenting a comprehensive history, while others berate me for getting their hand dominance wrong, or documenting their alcohol intake or use of illicit drugs. Medicine is a science and you call a spade a spade. Alcoholism is not synonymous with social drinking and I fear that physicians would have to water down their notes just to avoid offending the patient. A physician’s office notes should be an accurate, objective, and nonjudgmental documentation of the patient rather than a politically correct one. Finally, a physician should never forget that the office note is a medico-legal document, one that can be produced in court and at times used against him or her.

New York-Presbyterian Hospital.

Disclosures: N. Sethi serves as Associate Editor of *The Eastern Journal of Neurology*.

Authors Respond: **Melissa M. Yu, MD; Allison Weathers, MD; Allan D. Wu, MD; David A. Evans, MBA:** We thank Dr. Sethi for his comments on our article¹ and for sharing his personal experience with open notes. We agree with his comments and want to emphasize that we do not advocate for watering down clinical documentation. The integrity of the clinical note for its primary purpose is paramount. In addition, although patients may be upset in the short term, calling a spade a spade when it comes to substance use, and the patient’s viewing the documentation in the privacy of his or her own home may allow the patient to eventually overcome denial and take action. If a note is felt to be particularly sensitive, the provider should have the option to refrain from releasing the note to the patient as well.

Baylor College of Medicine (MMY), Houston, TX; Rush University Medical Center (ALW), Chicago; University of California Los Angeles (ADW); Texas Neurology (DAE), Dallas.

Disclosures: M.M. Yu has received funding for travel and/or speaker honoraria from the AAN and is a member of the Epic Neuroscience Steering Board. A.L. Weathers has received funding for travel and/or speaker honoraria from the AAN, North Carolina Neurologic Society, and Los Angeles Neurologic Society; serves on the Editorial Board of *Continuum: Lifelong Learning in Neurology* and serves as chair of the Adult Neuroscience Specialty Steering Board for Epic. A. Wu is a member of the Epic Neuroscience Steering Board; has received speaker honoraria from the AAN; serves on the Editorial Advisory Board for *Neurology Now*; serves on a scientific advisory board and the speakers’ bureau for Novartis and Lundbeck; and receives research support from Novartis, Department of Defense/Congressionally Directed Medical Research Program, NIH, Tuberous Sclerosis Alliance, and Today’s and Tomorrow’s Children Fund. D. Evans serves on the speakers’ bureau for and has received funding for travel and speaker honoraria from the AAN; serves on the editorial review board for MGMA Connection; and serves as Chief Executive Officer of Texas Neurology.

1. Yu MM, Weathers AL, Wu AD, Evans DA. Sharing notes with patients: a review of current practice and considerations for neurologists. *Neurol Clin Pract* 2017;7:179–185.

Rehabilitation in multiple sclerosis: Commentary on the recent AAN systematic review

Jodie K. Haselkorn, MD, MPH; Christina Hughes, MD; Alexander Rae-Grant, MD; Lily Jung Henson, MD, MMM; Christopher T. Bever, MD, MBA; Albert C. Lo, MD, PhD; Theodore R. Brown, MD, MPH; George H. Kraft, MD, MS; Gary Gronseth, MD; Melissa J. Armstrong, MD, MSc; Pushpa Narayanaswami, MBBS, DM: We thank Sutliff et al.¹ for their commentary on our systematic review (SR), “Summary of comprehensive systematic review: Rehabilitation in multiple sclerosis.”² We would like to make several points in response. (A more extensive response is available at Neurology.org/cp.)

First, contrary to their comment that our panel² “lacked specialist diversity,” the panel included multiple sclerosis (MS) experts, rehabilitation experts, non-MS neurologists, and guideline methodologists. Furthermore, the National Multiple Sclerosis Society was part of the process.² Physical and occupational therapists, speech/language therapists, and exercise physiologists were not included; this reflects the guideline development process at the time. Nevertheless, this was an SR,² not a clinical practice guideline (CPG). An SR makes conclusions based on available evidence, whereas CPGs make practice recommendations. The CPG process lends itself to expert formal consensus; the SR does not. The conclusions of our SR² would have been the same even with the inclusion of other experts because they are based on the American Academy of Neurology (AAN) risk of bias assessment of each study and not expert opinion.

Second, we have highlighted methodologic limitations of the rehabilitation literature in our recommendations for future research.² We do not deem it appropriate to blame the risk of bias assessment for failure to identify high-level studies in our SR.² Instead of setting a lower bar for the quality of studies and accepting weaker evidence to inform practice, the field of rehabilitation should be challenged to improve the science and obtain high-quality evidence.

Third, we recognize the lag between the search in 2013 and the SR² published in 2015, which is a common issue for most SRs/CPGs due to the time it takes to develop them. Despite this, based on the quality of studies identified in the previous 2 searches,² the likelihood of finding high-quality evidence to drive recommendations was low.

Fourth, Sutliff et al.¹ provide a table of studies that were “not included” in our SR.² This is inaccurate. Because of word count limitations, only studies that drove conclusions were discussed in the executive summary.² At least 5 of these “excluded studies”^{3–7} are included in the full SR online.² Hebert et al.⁸ was excluded because vestibular rehabilitation was not within the scope of our SR.² Several others⁹ were published after our SR² or were narrative reviews.¹⁰ Finally, Sutliff et al.¹ raise a concern regarding reimbursement due to misinterpretation of this review. We emphasize that this is an SR² without practice recommendations.

We solicited comments on our SR² twice from the AAN MS section and responded to all comments, many of which were brought up by Sutliff et al.¹ (table e-1 available at Neurology.org/cp in full-length response). A process to engage the SR authors and the AAN Guideline Development, Dissemination, and Implementation subcommittee leadership prior to publication of their commentary would have conclusively clarified several of the concerns from Sutliff et al.¹ CPGs/SRs are reviewed every 3 years to evaluate new literature that will change the published conclusions/recommendations. When this process is undertaken for the MS Rehabilitation SR,² newer AAN guideline development methodology will be utilized to include perspectives from specialty societies, patients, other health care professionals, and public comments.

US Veterans Health Administration and University of Washington (JKH), Seattle; Evergreen Health Rehabilitation Services (CH), Kirkland, WA; Cleveland Clinic and Case Western Reserve University (AR-G), Cleveland, OH; Swedish Neuroscience Institute (LJH), Seattle, WA; University of Maryland School of Medicine and VA Maryland Health Care System (CTB), Baltimore; Brown University, Providence VA Medical Center, Providence, RI and Mount Sinai Rehabilitation Hospital (ACL), Hartford, CT; Evergreen Neuroscience Institute (TRB), Kirkland, WA; University of Washington

Supplemental Data

Neurology.org/cp

(GHK), Seattle; University of Kansas School of Medicine (GG), Kansas City, KS; University of Maryland School of Medicine (MJA), Baltimore; Beth Israel Deaconess Medical Center and Harvard Medical School (PN), Boston, MA.

Disclosures: J. Haselkorn is a full-time employee of the US Department of Veterans Affairs and has received funding for travel from the Paralyzed Veterans of America Summit and the Consortium of Multiple Sclerosis Centers (CMSC). C. Hughes received funding from TEVA Neuroscience for the MS Scholars Conference. A. Rae-Grant has received royalties from multiple books published by Demos Publishing and Wolters Kluwer on multiple sclerosis and neurology and assists in editing neurology chapters for an online textbook of medicine for Dynamed. L. Henson serves on advisory boards for Biogen, Genzyme, Novartis, and sanofi-aventis; has received funding for travel from Genzyme; has received financial compensation for work on speakers' bureaus for Biogen, Genzyme, Novartis, Pfizer, Serono, and Teva; and has received research support from Biogen, Genzyme, the NIH, Novartis, Opexa Therapeutics, and sanofi-aventis. C. Bever received funding for travel from the American Academy of Neurology (AAN), Americas Committee on Research and Treatment of Multiple Sclerosis, the CMSC, and the University of Maryland; and has received research support from the US Department of Veterans Affairs and the National Multiple Sclerosis Society (NMSS). His spouse has received travel support from Johns Hopkins University, royalties from publishing from Elsevier and Johns Hopkins University Press, and honoraria from Harvard University and New York University. A. Lo has received honoraria from Acorda Therapeutics; funding for travel and honoraria from the Shepherd Center in Atlanta, GA; and research support from the US Department of Veterans Affairs, Harvard University, and St. Francis Hospital, Hartford, CT. T. Brown serves on the clinical advisory committee of the NMSS; has received compensation for serving on the scientific advisory boards of Acorda and Teva and on the editorial board of the *International Journal of MS Care*; has received honoraria from and served on speakers' bureaus for Acorda, Genzyme, Pfizer, and Teva; and has received research support from Astellas, Biogen, Gallen, and Teva. G. Kraft serves on the advisory board for Acorda Therapeutics, has received funding for travel to Acorda Axon Council meetings, is a consulting editor for *Physical Medicine and Rehabilitation Clinics of North America*, has received royalties from publishing from Demos, has received honoraria from multiple academic and professional organizations for lecturing, has served on a speakers' bureau for Acorda, and has received research support from the National Institute on Disability and Rehabilitation Research. G. Gronseth serves as an associate editor for *Neurology*[®] and as an editorial advisory board member of *Neurology Now* and receives compensation from the AAN for work as the chief evidence-based medicine methodologist. M. Armstrong serves on the Level of Evidence Review Team for *Neurology* (not compensated financially), serves as an evidence-based methodologist for the AAN, and receives research funding from Abbott as a study subinvestigator. P. Narayanaswami is a member of the Level of Evidence Review Team for *Neurology*; has received honoraria from the American Association of Neuromuscular & Electrodiagnostic Medicine; has prepared expert medical reports for Advance Medical; has reviewed grant proposals for Boston Clinical Research Institute; is a member of the Pharmacy and Therapeutics Committee, Blue Cross Blue Shield MA; has received research support from the Agency for Healthcare Research and Quality and from MERZ Pharmaceuticals, USA; and has provided expert testimony for Hollingsworth LLP on behalf of General Electric and Milton, Leach, Whitman, D'Andrea & Eslinger.

1. Sutliff MH, Bennett SE, Bobryk P, et al. Rehabilitation in multiple sclerosis: commentary on the recent AAN systematic review. *Neurol Clin Pract* 2016;6:475–479.
2. Haselkorn JK, Hughes C, Rae-Grant A, et al. Summary of comprehensive systematic review: rehabilitation in multiple sclerosis. *Neurology* 2015;85:1896–1903.
3. Schulz KH, Gold SM, Witte J, et al. Impact of aerobic training on immune-endocrine parameters, neurotrophic factors, quality of life and coordinative function in multiple sclerosis. *J Neurol Sci* 2004;225:11–18.
4. Cattaneo D, Jonsdottir J, Zocchi M, Regola A. Effects of balance exercises on people with multiple sclerosis: a pilot study. *Clin Rehabil* 2007;21:771–781.
5. Dettmers C, Sulzmann M, Ruchay-Plossl A, Gutler R, Vieten M. Endurance exercise improves walking distance in MS patients with fatigue. *Acta Neurol Scand* 2009;120:251–257.
6. Petajan JH, Gappmaier E, White AT, Spencer MK, Mino L, Hicks RW. Impact of aerobic training on fitness and quality of life in multiple sclerosis. *Ann Neurol* 1996;39:432–441.
7. Solari A, Filippini G, Gasco P, et al. Physical rehabilitation has a positive effect on disability in multiple sclerosis patients. *Neurology* 1999;52:57–62.
8. Hebert JR, Corboy JR, Manago MM, Schenkman M. Effects of vestibular rehabilitation on multiple sclerosis-related fatigue and upright postural control: a randomized controlled trial. *Phys Ther* 2011;91:1166–1183.
9. Chruzander C, Gottberg K, Ytterberg C, et al. A single-group pilot feasibility study of cognitive behavioural therapy in people with multiple sclerosis with depressive symptoms. *Disabil Rehabil* 2016;38:2383–2391.
10. Motl RW, Sandroff BM. Benefits of exercise training in multiple sclerosis. *Curr Neurol Neurosci Rep* 2015;15:62.

Neurology® Clinical Practice

Sharing notes with patients: A review of current practice and considerations for neurologists

Nitin K. Sethi, Melissa M. Yu, Allison Weathers, et al.

Neurol Clin Pract 2017;7;188

DOI 10.1212/CPJ.0000000000000369

This information is current as of June 12, 2017

Updated Information & Services

including high resolution figures, can be found at:
<http://cp.neurology.org/content/7/3/188.full.html>

References

This article cites 1 articles, 1 of which you can access for free at:
<http://cp.neurology.org/content/7/3/188.full.html##ref-list-1>

Permissions & Licensing

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:
<http://cp.neurology.org/misc/about.xhtml#permissions>

Reprints

Information about ordering reprints can be found online:
<http://cp.neurology.org/misc/addir.xhtml#reprintsus>

Neurol Clin Pract is an official journal of the American Academy of Neurology. Published continuously since 2011, it is now a bimonthly with 6 issues per year. Copyright © 2017 American Academy of Neurology. All rights reserved. Print ISSN: 2163-0402. Online ISSN: 2163-0933.